



Acrylic Shower Trays


Premiere Showers acrylic shower tray mould designs are constructed of solid reinforced fibreglass with PVC support rings. Adjustable feet ensure easy leveling and installation for trays up to 1200 x 1200.

Trays are 55mm high, available in various sizes and configurations, with 40mm upstands. Center waste is standard, with some sizes offering a corner waste option.


Each tray includes an easy-clean waste and features a durable, easy-to-clean acrylic surface.

2 SIDED TRAYS


2 SIDED 900 X 750 RIGHT HAND




2 SIDED 900 X 750 LEFT HAND




180MM 2 SIDED 900 X 900 CNR




2 SIDED 900 X 900




2 SIDED 1000 X 900 RIGHT HAND




2 SIDED 1000 X 900 LEFT HAND



180MM 2 SIDED 1000 X 1000 CNR




2 SIDED 1000 X 1000




P 07 575 0773 E info@premiereshowers.co.nz
Showroom 119 Newton Street, Mt Maunganui

2 SIDED TRAYS – CONTINUED


2 SIDED 1200 X 900 RIGHT HAND




2 SIDED 1200 X 900 LEFT HAND




2 SIDED 1200 X 1000 RIGHT HAND




2 SIDED 1200 X 1000 LEFT HAND




2 SIDED 1200 X 1200




2 SIDED 1400 X 900 RIGHT HAND




2 SIDED 1400 X 900 LEFT HAND



2 SIDED 1600 X 900 RIGHT HAND




2 SIDED 1600 X 900 LEFT HAND




CURVED TRAYS


CURVED 900 X 900




CURVED 1000 X 1000



ANGLED 900 X 900




ANGLED 1000 X 1000



P 07 575 0773 E info@premiershowers.co.nz
 Showroom 119 Newton Street, Mt Maunganui

3 SIDED TRAYS



Technical Information

Test	Test Basis
Deflection Test to 300Kg	with reference to AS 3588-1996 Appendix A Test 1 (independent test verification by SGS)
Deflection Test to 100Kg	in accordance with AS 3588-1996 Appendix A Test 1 (independent test verification by SGS)
Impact Test to 300Kg	10,000 cycles with no observations of defects (tested by MTL, Auckland)
Resistance to Temperature change	in accordance with EN 14527:2016 Section 5.3.4 & 8.3 (independent test verification by SGS)

*all dimensions are indicative

P 07 575 0773 E info@premiereshowers.co.nz
Showroom 119 Newton Street, Mt Maunganui